







TUBULAR (120Ah-180Ah)



LEAD ACID (100Ah-200Ah)




JUMBOZ (150Ah)



MACROZ (25Ah-50Ah)



# WATER LEVEL INDICATOR



Sylhan BAZOOKA



LONGER Battery Life





- Life Cycle Promise of 1200 cycles of deep discharge. x
- Extra thick gauntlets, suitable for Indian climatic conditions ensures longer life. x
- Special tubular positive spines cast at 100 bar pressure to enhance corrosion life under x extreme situations.
- Thick spines and bus bar for excellent discharge performance which provides better life. x
  - Extra top electrolyte for less frequent water topping. x
  - Environment Friendly Micro porous ceramic vent plug ensures × minimum acid fumes.
    - Float guide indicators to show electrolyte level in the battery. x
      - Low Maintenance Special alloy to reduce electrolyte loss. x
  - Batteries specially designed for places with frequent power cuts. x
  - Readily available factory changed batteries reduces commissioning time. x
  - Aesthetically designed- Low foot print to suit homes, offices and business centres. x

Battery Name	Battery Model	Capacity at 27C° Discharged at C20 rate	Dimensions (+/-3mm)			Weight-Kg*	Charging	Warranty**
			Length		eightWidth	(Gross)	Current-Amp	(in months)
Big Conqueror-150 Big Warrior-150	SBT 1500 SBW 1500	150Ah	503	193	412	61.5	15	48
Big Conqueror-180 Big Warrior-180	SBT 1800 SBW 1800	180Ah	503	193	412	65	18	48
Bazooka-120	HPT 120	120Ah	503	193	362	52.3	12	36
Bazooka-150	HPT 150	150Ah	503	193	362	57.6	15	36
Bazooka-180	HPT 180	180Ah	503	193	362	61.3	18	36

	Inverter/ UPS VA Rating	No. of Batteries	BACKUP DURATION (IN HRS MIN.)						
Load			120 Ah150 Ah Full Load 50% load Ful		Load 50% lbad		180 Ah Full Load 50% load		
	v/ r talling		I uli Load 30 % load I ul		Load 3070 Dad		T uil Load 30 % load		
1 Tubelight + 3 Fan + 1 TV + 4 CFL	650 VA	1 No.	1h	3h 30m	2h	4h 40m	2h 30m	5h 40m	
2 Tubelight + 2 Fan + 1 PC + 3 CFL	650 VA	1 No.	1h 30m	3h 45m	2h	4h 50m	2h 40m	6h 10m	
2 Tubelight + 4 Fan + 1 PC + 3 CFL	850 VA	1 No.	1h	2h 30m	1h 20m	3h 20m	1h 40m	4h 10m	
2 Tubelight + 4 Fan + 1 TV + 4 CFL	850 VA	1 No.	1h	2h 40m	1h 20m	3h 20m	1h 50m	4h 10m	
7 Tubelight + 7 Fan + 1 TV	1500 VA	2 No.(S)	1h 10m	3h	1h 40m	3h 20m	2h 10m	5h	
5 Tubelight + 7 Fan + 1 PC + 7 CFL	1500 VA	2 No.(S)	1h	2h 50m	1h 30m	3h 50m	1h 10m	4h 50m	

Backup time evaluated under standard test conditions \*Electrolyte filled battery weight.

\*\*Inclusive of pro-rata. (S)-Batteries in series connection



# B W PSA A PYTT T ISE E NERR GY TOTM



- Single Point multi cell water topping
- Safely fill batteries without removing vent covers.
- Extended battery life & increased performance
- No chances of acid spillage on floors
- Save Battery from under topping and over topping



### Benefits/ Features of Trolley

•X r:-DStylish yet sturdy, the Su-Kam'sTar balue Trolley is made from Long Lasting PPCP plastic.

X n t Screw less battery trolley-C nTv:r e Theanoie is easy to install and dismantle.

X v e refill the water in the battery.-AgT a Easilyr na t:da

X a e the inverter/UPS neatly-SaTc rr e:a SpvPlace along with the battery, providing you more space.

Xf-STe your flooring spotless from anyr :a Keepsa kind of leakage/spillage from batteries. Made from Shockproof plastic material the trolley also provides good ventilation to the battery.

Xa o t- E M Smooth wheels enableTs v :r e eaomfen extra ease of movement while carrying the bulky battery.



# Extensive Distribution And Service Network

Over 15,000 dealerships.
PAN India Company owned service network.
Fully equipped service vans to provide door step services.

Toll Free Helpline No: 1800-102-4423 24x7 Call logii facilitty

02/13/BA /C01



#### **MSTECHNOLOGIES**

Office: Plot No.: 64, HMT Hills Colony, Nearby Tulasi Nagar Community Hall, Kukatpally, Hyderabad --72Telangana. India Tel: +91-9010777780, 9603777780

E-mail: mstsaleshyd@gmail.comWebsite: www.mstechnologiesups.com